






YAMP-EX A3




**** Product Dimension

YAMP-EX A2



**** Product Dimension

Light Distribution Curve



Specification

**** Product Code	YAMP- EX- A3		YAMP- EX- A2	
LED** LED Quantity	192pcs	144pcs	128pcs	96pcs
**** Rated Power	120w	100w	80w	60w
**** Input Voltage	100*305V AC	100*305V AC	100*305V AC	100*305V AC
**** Frequency Range	47*63 Hz	47*63 Hz	47*63 Hz	47*63 Hz
**** Power Factor	>0.9	>0.9	>0.9	>0.9
** (k) Color Temperature(k)	5000K/4000K/3000K	5000K/4000K/3000K	5000K/4000K/3000K	5000K/4000K/3000K
**** Color Rendering Index	>70	>70	>70	>70
***lm/W* Efficiency(lm/W)	>110 LM/W	>110 LM/W	>110 LM/W	>110 LM/W
****lm* Luminous Flux(lm)	> 13200	> 11000	> 8800	> 6600
***** Humidity of Working Condition	- 40* - +90*	- 40* - +90*	- 40* - +90*	- 40* - +90*
***** Temperature of Working Condition	20*95%RH	20*95%RH	20*95%RH	20*95%RH
***** Life	> 50000 H	> 50000 H	> 50000 H	> 50000 H
**** Protection Grade	IP66	IP66	IP66	IP66
**** Installation Pipe Diameter	*60mm	*60mm	*60mm	*60mm
**** Installation Height	8- 10m	8- 9m	6- 8m	4- 6m
*****mm) Product Size(mm)	681*378*89		603*378*89	

YONGAN[®] 永安路灯

YONGAN LIGHTING



YONGAN[®] 永安路灯

YONGAN LIGHTING



YONGAN[®] 永安路燈

YONGAN LIGHTING



YONGAN 永安路燈
YONGAN LIGHTING





YAMP-EX A5



YAMP-EX A5



YAMP-EX A5



YAMP-EX A5