



YAMP-EX A4



YAMP-EX A4

YONGAN 永安路灯

YONGAN LIGHTING

AC100-277V ***** Input Voltage	Hz 50/60 ***** Frequency Range	PF >0.9 ***** Power Factor	<15% ***** THD	CRI 70 ***** Color Rendering Index	-35~50°C ***** Temperature of Working Condition	10~90% ***** Humidity of Working Condition	>30000h ***** Life Time	IP65 ***** Protection Grade
--------------------------------------	---	-------------------------------------	----------------------	---	---	--	-------------------------------	-----------------------------------



Yongan 永安路灯
YONGAN LIGHTING



YONGAN[®] 永安路灯

YONGAN LIGHTING



YONGQUAN 永安路灯
YONGAN LIGHTING



YONGAN 永安路燈

YONGAN LIGHTING



YONGYUAN 永安路灯

YONGAN LIGHTING



YONGAN 永安路灯

YONGAN LIGHTING

AC100-277V 输入电压 Input Voltage	Hz 50/60 频率范围 Frequency Range	PF >0.9 功率因数 Power Factor	<15% 总谐波失真 THD	CRI 70 显色指数 Color Rendering Index	-35~50°C 工作环境温度 Temperature of Working Condition	10~90% 工作环境湿度 Humidity of Working Condition	>30000h 使用寿命 Life Time	IP65 防护等级 Protection Grade
-------------------------------------	--	------------------------------------	----------------------	--	--	---	------------------------------	----------------------------------



YONGUAN 永安路灯

YONGAN LIGHTING

永安
YONGUAN



ZHONGSHAN YONGAN STREET LIGHTING CO.,LTD

ADD:XINMAO INDUSTRIAL ROAD,HENGLAN TOWN,ZHONGSHAN CITY,GUANGDONG,CHINA
SHOWROOM : XINXING ROAD,GUZHEN TOWN, ZHONGSHAN CITY,GUANGDONG,CHINA

Tel : 86-0760-22397626 / 22349358 / 22395002

Sales Hotline : 0760-22340239 22395010 22321216

22321108 22349356 22321098



22397626 22349358 22395005

22399239 22321217 22321268

永安路灯

22393991 22349351 22321068

13928149161 13928146292

Fax : 0760-22349354

Website : EN:<http://www.yonganlight.com>

CN: <http://www.yonganlamp.com>

E-mail : export@yonganlamp.com

export-1@yonganlamp.com

export-2@yonganlamp.com

Factory Phone : 0760-22395011

Factory Fax : 0760-22395009

