



Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

YAMP-G2012039

Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2.7 M/3.65 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012040



YAMP-G2012041



Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3.1 M/4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012042



YAMP-G2012043



YAMP-G2012044



Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3.3 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.




YAMP-G2012045

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012046



Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3.5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: T4, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012047

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 5.2 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012048

永安路灯 | YONGAN LIGHTING Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012049

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012050



YAMP-G2012051



YAMP-G2012052

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.





YAMP-G2012053



YAMP-G2012054

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012055

 永安路灯 | YONGAN LIGHTING
Aluminum Courtyard Lighting Series



YAMP-G2012056

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection Index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

永安路灯 | YONGAN LIGHTING Aluminum Courtyard Lighting Series



YAMP-G2012057



YAMP-G2012058



YAMP-G2012059



YAMP-G2012060



YAMP-G2012061



YAMP-G2012062




YAMP-G2012063

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012065



YAMP-G2012064



YAMP-G2012088



YAMP-G2012087

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.




YAMP-G2012068



YAMP-G2012069



YAMP-G2012070



YAMP-G2012071

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012072



YAMP-G2012073

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012074



YAMP-G2012075

永安路灯 | YONGAN LIGHTING Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012076




YAMP-G2012077

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: PC;
- ◆ Protection index: IP55;
- ◆ Recommended height: 6.8 M-4.2 M;

- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012079



YAMP-G2012080

YAMP-G2012078



YAMP-G2012081



YAMP-G2012082

永安路灯 | YONGAN LIGHTING

Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3.6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012083



YAMP-G2012084

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012085

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012086



YAMP-G2012087



YAMP-G2012088



YAMP-G2012089

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012090



YAMP-G2012092



YAMP-G2012091

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012093

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-6 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012094



YAMP-G2012095



YAMP-G2012096



YAMP-G2012097

永安路灯 | YONGAN LIGHTING

Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012098



YAMP-G2012099

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2 M -4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012100

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012101



YAMP-G2012102



YAMP-G2012103

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012104



YAMP-G2012105



YAMP-G2012106

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2.5 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012107



YAMP-G2012108



YAMP-G2012109

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2.5 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012111



YAMP-G2012110



YAMP-G2012112

永安路灯 | YONGAN LIGHTING

Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;

- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

永安路灯 | YONGAN LIGHTING

Aluminum Courtyard Lighting Series



YAMP-G2012113



YAMP-G2012114

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-7 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.




YAMP-G2012115

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 6.8 M;

- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012116



YAMP-G2012117

Materials and Features

- ◆The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆Lampshade: Glass or PMMA;
- ◆Protection index: IP55;
- ◆Recommended height: 3 M-5 M;
- ◆Painting: Outdoor powder painting or fluorocarbon painting;
- ◆Socket: E27;
- ◆Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆Applicable places: Square, parks, garden, street;
- ◆According to the requirements of the customers to provide tailor-made.



YAMP-G2012118

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-4 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012119



YAMP-G2012120



YAMP-G2012121



YAMP-G2012122



YAMP-G2012123

永安路灯 | YONGAN LIGHTING Aluminum Courtyard Lighting Series



YAMP-G2012124

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012125



YAMP-G2012127



YAMP-G2012126

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012128



YAMP-G2012129



YAMP-G2012130



YAMP-G2012131



YAMP-G2012132

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012133



YAMP-G2012134

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection Index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012135

Materials and Features


- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection Index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012136



YAMP-G2012137



YAMP-G2012138

永安路灯 | YONGAN LIGHTING

Aluminum Courtyard Lighting Series

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 1 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012139



YAMP-G2012140



YAMP-G2012141

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 2.5 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.




YAMP-G2012142



YAMP-G2012143

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 3 M-5 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-G2012144

Materials and Features

- ◆ The whole body is made of sand-casting aluminum, and with an iron pole inside which is treated with hot-dipped galvanized;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 5 M-8 M;

- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED, or High pressure sodium lamp;
- ◆ Applicable places: Square, parks, garden, street;
- ◆ According to the requirements of the customers to provide tailor-made.