




YAMP-M2012005




YAMP-M2012006




永安路灯 | YONGAN LIGHTING
Garden Light Series



YAMP-M2012007



YAMP-M2012008





YAMP-M2012009



YAMP-M2012010




YAMP-M2012011




YAMP-M2012012




YAMP-M2012013



YAMP-M2012014




YAMP-M2012015




YAMP-M2012016



YAMP-M2012017



YAMP-M2012018





YAMP-M2012019



YAMP-M2012020



YAMP-M2012021



YAMP-M2012022



YAMP-M2012023



YAMP-M2012024

Materials and Features

- ◆ The whole body is made of sand-casting aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012025



YAMP-M2012028



YAMP-M2012027



YAMP-M2012028



YAMP-M2012029

永安路灯 | YONGAN LIGHTING
Garden Light Series



YAMP-M2012030



YAMP-M2012031

Materials and Features

- ◆ The whole body is made of sand-casting aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012032



YAMP-M2012033



YAMP-M2012034



YAMP-M2012035

Materials and Features

- ◆ The whole body is made of sand-casting aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012036



YAMP-M2012037



YAMP-M2012038



YAMP-M2012039



YAMP-M2012040



YAMP-M2012042



YAMP-M2012041



YAMP-M2012043



YAMP-M2012044



YAMP-M2012045



YAMP-M2012046



YAMP-M2012047

Materials and Features

- ◆ The whole body is made of sand-casting aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The whole body is made of sand-casting aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection Index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012048



YAMP-M2012049



YAMP-M2012050





YAMP-M2012051



YAMP-M2012052




YAMP-M2012053




YAMP-M2012054



YAMP-M2012055



YAMP-M2012056



Materials and Features

- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012057



YAMP-M2012058



YAMP-M2012059



YAMP-M2012060



YAMP-M2012061



YAMP-M2012062



YAMP-M2012063




YAMP-M2012064






YAMP-M2012065



YAMP-M2012066



Materials and Features

- ◆ The whole body is made of or stainless steel aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, or LED;
- ◆ Applicable places: Square, parks, garden;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-M2012067



YAMP-M2012068



YAMP-M2012069



YAMP-M2012070



YAMP-M2012071



YAMP-M2012072

永安路灯

YONGAN LIGHTING



YAMP-M2012073



YAMP-M2012074



YAMP-M2012075



YAMP-M2012076

Wall Light Series

Materials and Features

- ◆ The whole body is made of stainless steel;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-1M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED or T4;
- ◆ Applicable places: Wall of building;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012001



YAMP-N2012002



YAMP-N2012003



YAMP-N2012004



YAMP-N2012005



YAMP-N2012006



YAMP-N2012007



YAMP-N2012008

Materials and Features

- ◆The whole body is made of stainless steel;
- ◆Lampshade: Glass or PMMA;
- ◆Protection index: IP55;
- ◆Recommended height:0.2 M-1M;
- ◆Painting: Outdoor powder painting or fluorocarbon painting;
- ◆Socket: E27;
- ◆Lighting source: Energy saving, LED or T4;
- ◆Applicable places: Wall of building;
- ◆According to the requirements of the customers to provide tailor-made.



YAMP-N2012009



YAMP-N2012010



YAMP-N2012011



YAMP-N2012012



YAMP-N2012013



YAMP-N2012014



YAMP-N2012015



YAMP-N2012016

Wall Light Series



Materials and Features

- ◆ The whole body is made of stainless steel;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.2 M-1M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED or T4;
- ◆ Applicable places: Wall of building;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012017



YAMP-N2012018





YAMP-N2012019



YAMP-N2012020



YAMP-N2012021



YAMP-N2012022

Materials and Features

- ◆ The whole body is made of aluminum or stainless steel;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Size: 0.2 M-0.8 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving, LED or T4;
- ◆ Applicable places: Wall of building;
- ◆ According to the requirements of the customers to provide tailor-made.

Wall Light Series

Materials and Features

- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass or PMMA;
- ◆ Protection index: IP55;
- ◆ Recommended height: 0.3 M-1M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Socket: E27;
- ◆ Lighting source: Energy saving or LED.
- ◆ Applicable places: Wall of building;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012023



YAMP-N2012024



YAMP-N2012025



YAMP-N2012026



YAMP-N2012027



YAMP-N2012028

 永安路灯 | YONGAN LIGHTING
Wall Light Series



YAMP-N2012029


LED Series

Materials and Features


- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP65;
- ◆ Painting: Outdoor powder painting;
- ◆ Power: 10-100W;
- ◆ Applicable places: illumination of the facade of building, billboards, parking places, grass lands and sculptures;
- ◆ According to the requirements of the customers to provide tailor-made.




YAMP-N2012030




YAMP-N2012031



YAMP-N2012032




YAMP-N2012033






YAMP-N2012034




YAMP-N2012035



YAMP-N2012036



YAMP-N2012037



YAMP-N2012038




YAMP-N2012039

Materials and Features


- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP65;
- ◆ Painting: Outdoor powder painting;
- ◆ Power: 10-100W;
- ◆ Applicable places: Illumination of the facade of building, billboards, parking places, grass lands and sculptures;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012040



YAMP-N2012041




YAMP-N2012042



YAMP-N2012043

Materials and Features

- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP65;
- ◆ Painting: Outdoor powder painting;
- ◆ Power: 3-30W;
- ◆ Applicable places: Illumination of the facade of building, billboards, parking places, grass lands and sculptures;
- ◆ According to the requirements of the customers to provide tailor-made.





YONGAN LIGHTING 永安路燈 | YONGAN LIGHTING
Street Lighting Series



Solar light series


High mast pole Lighting Series

Combination Lighting Series






YAMP-N2012044



YAMP-N2012045



Materials and Features

- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP65;
- ◆ Painting: Outdoor powder painting;
- ◆ Power: 5-50W;
- ◆ Applicable places: Illumination of the facade of building, billboards, parking places, grass lands and sculptures;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012046



YAMP-N2012047



YAMP-N2012048



YAMP-N2012049



YAMP-N2012050

Materials and Features

- ◆ The whole body is made of aluminum;
- ◆ Lampshade: Glass;
- ◆ Protection index: IP65;
- ◆ Painting: Outdoor powder painting;
- ◆ Power: 10-50W;
- ◆ Applicable places: Illumination of the facade of building, billboards, parking places, grass lands and sculptures;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-N2012051



YAMP-N2012052



YAMP-N2012053



YAMP-N2012054



YAMP-N2012055



永安路灯

YONGAN LIGHTING

Street Lighting Series



YAMP-D2012001



YAMP-D2012002



YAMP-D2012003



YAMP-D2012004

Power	Working Voltage	Power Factor	Efficiency	Average Illumina	Effective Luminance Area	Luminous Flux	Color Temperature	Color Rendering Index	Temperature of Working Condition	Protection Grade	Life	Size(mm)	
70W	AC110V AC221V	>92%	>85LM/W	6 M	16-20LUX	26x10M	>5950LM	3000-7500				L560xW320xH310	
				8 M	13-18LUX	31x12M							
84W	AC110V AC221V	>92%	>85LM/W	6 M	23-28LUX	26x10M	>7140LM	3000-7500					L800xW320xH310
				8 M	18-23LUX	31x12M							
98W	AC110V AC221V	>92%	>85LM/W	6 M	26-33LUX	26x10M	>9310LM	3000-7500					L840xW320xH310
				8 M	23-27LUX	31x12M							
				10 M	16-23LUX	33x15M							
				12 M	14-18LUX	38x16M							
112W	AC110V AC221V	>92%	>85LM/W	8 M	26-30LUX	31x13M	>9520LM	3000-7500					L880xW320xH310
				10 M	20-26LUX	35x15M							
				12 M	16-20LUX	40x18M							
126W	AC110V AC221V	>92%	>85LM/W	8 M	26-32LUX	31x13M	>10710LM	3000-7500	>75	-30℃-65℃	IP65	>50000H	L760xW320xH310
				10 M	22-28LUX	35x15M							
				12 M	16-23LUX	40x18M							
140W	AC110V AC221V	>92%	>85LM/W	8 M	31-38LUX	31x13M	>11900LM	3000-7500					L800xW320xH310
				10 M	26-31LUX	35x15M							
				12 M	20-26LUX	40x18M							
154W	AC110V AC221V	>92%	>85LM/W	8 M	33-38LUX	35x16M	>13500LM	3000-7500					L840xW320xH310
				10 M	30-35LUX	40x18M							
				12 M	22-28LUX	45x20M							
168W	AC110V AC221V	>92%	>85LM/W	8 M	35-42LUX	35x16M	>14280LM	3000-7500					L880xW320xH310
				10 M	32-38LUX	40x18M							
				12 M	25-33LUX	45x20M							
182W	AC110V AC221V	>92%	>85LM/W	8 M	37-45LUX	35x16M	>15470LM	3000-7500					L920xW320xH310
				10 M	34-40LUX	40x18M							
				12 M	27-35LUX	45x20M							



永安路灯

YONGAN LIGHTING

Street Lighting Series



YAMP-D2012005



YAMP-D2012006



YAMP-D2012007





YAMP-D2012008



YAMP-D2012009



YAMP-D2012010



YAMP-D2012011



YAMP-D2012012



YAMP-D2012013



YAMP-D2012014



YAMP-D2012015



YAMP-D2012016



YAMP-D2012017

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012018



YAMP-D2012019



YAMP-D2012020

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012021



YAMP-D2012022

 永安路灯 | YONGAN LIGHTING
Street Lighting Series



YAMP-D2012023



YAMP-D2012024

永安路灯 | YONGAN LIGHTING

Street Lighting Series

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012025



YAMP-D2012026

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012028



YAMP-D2012027



YAMP-D2012029



YAMP-D2012030

永安路灯 | YONGAN LIGHTING Street Lighting Series

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012031



YAMP-D2012032

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012033



YAMP-D2012034



YAMP-D2012035



YAMP-D2012036

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012037



YAMP-D2012038



YAMP-D2012039

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012040



YAMP-D2012042



YAMP-D2012041

永安路灯 | YONGAN LIGHTING Street Lighting Series



YAMP-D2012043

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012044

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012045



YAMP-D2012046

 永安路灯

YONGAN LIGHTING



YAMP-D2012047

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 8-12M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, or High pressure sodium lamp;
- ◆ Applicable places: Highway, Street;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012048



YAMP-D2012049

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 3-12 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED 10W-80W;
- ◆ Solar power system is set according to the temperature, sunshine, radiation, rainy day, working hours every night in different area;
- ◆ Applicable places: Highway, Street, Garden, Square;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012050

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 3-12 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED 10W-80W;
- ◆ Solar power system is set according to the temperature, sunshine, radiation, rainy day, working hours every night in different area;
- ◆ Applicable places: Highway, Street, Garden, Square;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012051



YAMP-D2012052



YAMP-D2012053



YAMP-D2012054



YAMP-D2012055



YAMP-D2012056

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 3-12 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED 10W-80W;
- ◆ Solar power system is set according to the temperature, sunshine, radiation, rainy day, working hours every night in different area;
- ◆ Applicable places: Highway, Street, Garden, Square;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012057



YAMP-D2012058



YAMP-D2012059

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 3-12 M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED 10W-80W;
- ◆ Solar power system is set according to the temperature, sunshine, radiation, rainy day, working hours every night in different area;
- ◆ Applicable places: Highway, Street, Garden, Square;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-D2012060



YAMP-D2012061



YAMP-D2012062



YAMP-D2012063



YAMP-A2012001

Materials and Features

- ◆The pole is made of iron and treated with hot-dipped galvanized;
- ◆Lantern: Aluminum;
- ◆Protection index: IP65;
- ◆Recommended height: 15-35M;
- ◆Painting: Outdoor powder painting or fluorocarbon painting;

- ◆Lighting source: LED, High pressure sodium lamp or Metal halide lamp;
- ◆The height is above 18 meters, built-in electric lift device;
- ◆Applicable places: Square, Highway, Street, Court;
- ◆According to the requirements of the customers to provide tailor-made.



YAMP-A2012002

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 15-35M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, High pressure sodium lamp or Metal halide lamp;
- ◆ The height is above 18 meters, built-in electric lift device;
- ◆ Applicable places: Square, Highway, Street, Court;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-A2012003



YAMP-A2012004

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 15-35M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, High pressure sodium lamp or Metal halide lamp;
- ◆ The height is above 18 meters, built-in electric lift device;
- ◆ Applicable places: Square, Highway, Street, Court;
- ◆ According to the requirements of the customers to provide tailor-made.

Materials and Features

- ◆ The pole is made of iron and treated with hot-dipped galvanized;
- ◆ Lantern: Aluminum;
- ◆ Protection index: IP65;
- ◆ Recommended height: 15-35M;
- ◆ Painting: Outdoor powder painting or fluorocarbon painting;
- ◆ Lighting source: LED, High pressure sodium lamp or Metal halide lamp;
- ◆ The height is above 18 meters, built-in electric lift device;
- ◆ Applicable places: Square, Highway, Street, Court;
- ◆ According to the requirements of the customers to provide tailor-made.



YAMP-B2012001



YAMP-B2012002



YAMP-B2012003

Materials and Features

- ◆The pole is made of iron and treated with hot-dipped galvanized;
- ◆Lantern: Aluminum;
- ◆Protection index: IP65;
- ◆Recommended height: 15-35M;
- ◆Painting: Outdoor powder painting or fluorocarbon painting;

- ◆Lighting source: LED, High pressure sodium lamp or Metal halide lamp;
- ◆The height is above 18 meters, built-in electric lift device;
- ◆Applicable places: Square, Highway, Street, Court;
- ◆According to the requirements of the customers to provide tailor-made.



YAMP-B2012004



YAMP-B2012005



YAMP-B2012006



YAMP-K2012005

YAMP-K2012006



YAMP-K2012001



YAMP-K2012002



YAMP-K2012003



YAMP-K2012004



YAMP-K2012007



YAMP-K2012008



YAMP-K2012012



YAMP-K2012009



YAMP-K2012010



YAMP-K2012011



YAMP-K2012013



YAMP-K2012014



YAMP-K2012018



YAMP-K2012015



YAMP-K2012016



YAMP-K2012019



YAMP-K2012017



YAMP-K2012020



YAMP-K2012021



YAMP-K2012026



YAMP-K2012022



YAMP-K2012023



YAMP-K2012024



YAMP-K2012025



YAMP-K2012027



YAMP-K2012028



YAMP-K2012029



YAMP-K2012030



YAMP-K2012031



YAMP-K2012032



YAMP-K2012033



YAMP-K2012034



YAMP-K2012036



YAMP-K2012037



YAMP-K2012035



YAMP-K2012038



YAMP-K2012039



YAMP-K2012044



YAMP-K2012045



YAMP-K2012040



YAMP-K2012041



YAMP-K2012042



YAMP-K2012046



YAMP-K2012047



YAMP-K2012043

ZHONGSHAN YONGAN STREET LIGHTING CO.,LTD

ADD:XINMAO INDUSTRIAL ROAD,HENGLAN TOWN,ZHONGSHAN CITY,GUANGDONG,CHINA

SHOWROOM : XINXING ROAD,GUZHEN TOWN, ZHONGSHAN CITY,GUANGDONG,CHINA

Tel : 86-0760-22397626 / 22349358 / 22395002

Sales Hotline : 0760-22340239 22395010 22321216

22321108 22349356 22321098



22397626 22349358 22395005

22399239 22321217 22321268

永安路灯

22393991 22349351 22321068

13928149161 13928146292

Fax : 0760-22349354

Website : EN:<http://www.yonganlight.com>

CN: <http://www.yonganlamp.com>

E-mail : export@yonganlamp.com

export-1@yonganlamp.com

export-2@yonganlamp.com

Factory Phone : 0760-22395011

Factory Fax : 0760-22395009

